

Portrait Settings

N ^o 1	a	Portrait	1
2	a	"	13
3	a	"	27
4	a	"	45
5	a	"	65
6	a	"	71

A
B
C
D
E
F
G
H
I
K
L
M
N
O
P
Q
R
S
T
V
W
X
Y
Z

© 2008 Brent Archive

© 2008 Brent Archive

N ^o	1	P ^d Long	73
	1	Ordinary	89
	2	"	121
	2	Patent	105
	3	"	137
	4	"	57

B
C
D
E
F
G
H
I
K
L
M
N
O
P
Q
R
S
T
V
W
X
Y
Z

No 2 b
Rectilinear Copying
6 in
5 in

153

446

445

C
D
E
F
G
H
I
K
L
M
N
O
P
Q
R
S
T
V
W
X
Y
Z

N ^o	3	D Patent	169
.	4	D Patent	187
.	5	D "	205
.	6	D "	223
.	7	D "	239
.	8	D "	247

D
E
F
G
H
I
K
L
M
N
O
P
Q
R
S
T
V
W
X
Y
Z

Panoramic Settings

No 1	Panoramic	253
1 ^a	"	263
2	"	270
3	"	283
4	"	293
5	"	305
1	A Portrait	1
2	"	1
6	Panoramic	317



Rectilinear Settings

No 1 Rectilinear Stereo

- 1^a
- 1^{aa}
- 2
- 3
- 4

5 + 4 Rapid Rectilinear Rigid

- 6 " 5 " "
- 8 1/2 " 6 1/2 " "
- 10 " 8 " "
- 12 " 10 " "
- 13 " 11 " "
- 15 " 12 " "
- 18 " 16 " "
- 22 " 20 " "
- 25 " 21 " "

5 " 4 Rapid Rectilinear Sliding

- 6 " 5 " "
- 8 1/2 " 6 1/2 " "
- 10 " 8 " "
- 14 " 10 " "
- 15 " 12 " "
- 18 " 16 " "
- 22 + 20 " "

© 2008 Brent Archive

- 4129
- 323
- 331
- 337
- 343
- 347
- 351
- 357
- 367
- 375
- 385
- 393
- 451
- 401
- 407
- 411
- 415
- 363
- 373
- 383
- 391
- 399
- 405
- 410
- 413

© 2008 Brent Archive



Stereoscopic Lenses

4 1/2 inch Focus (Single View)

5 " " " "

6 " " " "

7 " " " "

8 " " " "

9 " " " "

~~New Stereographic Patent Series~~
~~Stereoscopic Sockets~~

443

445.195

447 452.177

443

433

439

S
T
V
W
X
Y
Z

Triple Achromatic

No 1 Triple rigid	417
" 2 " "	419
" 3 " "	421
" 4 " "	423
" 5 " "	425
" 6 " "	427
" 7 " "	426
" 8 " "	428
6+5 Sliding	301
8 1/2 + 6 1/2 "	313
10 + 8 "	291
12 + 10 "	281
15 + 12 "	259
18 + 16 "	251
22 + 20 "	245
25 + 21 "	235
36+36 Triple	234

T
V
W
X
Y
Z