

Dallmeyer Archive Volume 198028/5/5

Lens Group	Lens Title	PDF No.	Date Range	Lens Nos.	Volume Page Nos.	No.of Lenses.
Lantern Settings	No.1	1	No Entries			
	No.2	1	5/6/1885 12/2/1887	37349-40739	190	36
Medallion Settings		1	No Entries			
Miniature Settings		1	20/11/1886 20/11/1886	40110-40111	190	2
Photo Mags		1	31/7/1886 12/2/1887	No numbers	247	4
Patent Portrait Settings	1A	1	21/4/1885 ?/?/1888	36739-43212	1	12
	2A	1	13/2/1884 17/3/1888	38802-42838	3	36
	3A	1	25/10/1884 1/10/1887	36299-41945	5	60
		2	8/10/1887 12/4/1888	41946-42832	6	12
	4A	1	30/10/1884 ?/?/1888	36235-44457	10	25
	5A	1	24/11/1883 ?/?/1888	36286-44275	12	14
	6A	1	?/10/1884 ?/2/1888	36108-44430	13	18
	2B	1	1/11/1884 10/1886	36365-39105	27	60
		2	12/3/1887 ?/5/1888	40842-43075	28	42
	3B	1	1/11/1884 26/12/1885	36359-38409	37	60
		2	9/1/1886 16/2/1887	38555-40751	38	60
		3	19/3/1887 7/1/1888	40986-43005	39	60
		4	? 1/1888 ? 12/1888	43058-44546	40	30
	4B	1	20/6/1885 29/10/1887	37448-44460	49	17
	3D	1	1/11/1884 7/11/1885	36371-38716	55	60
		2	16/1/1886 23/9/1886	38453-40078	56	60
		3	4/12/1886 20/4/1887	40092-41143	57	60
		4	30/4/1887 17/1/1888	41144-43277	58	60
		5	? 1/1888 ? 11/1888	43278-44360	59	43
	4D	1	27/9/1884 20/7/1885	36127-39032	61	60
		2	12/6/1886 28/11/1887	39334-42315	62	60
		3	24/3/1888 ? 1/12/1888	42839-44558	63	48
	5D	1	27/9/1884 17/8/1887	36102-42441	64	60
		2	21/1/1888 ?/10/1888	42527-44115	65	36
	6D	1	6/9/1884 ?/1/1888	37110-43907	66	46
	7D	1	?/4/1885 8/11/1887	37231-43969	67	11
	8D	1	11/10/1884 30/7/1887	36832-43825	67	19
Quick Acting Portrait Settings	1B	1	28/2/1885 19/2/1887	36929-40781	19	18
	1B Long	1	17/1/1885 23/10/1886	36685-39994	15	24
	2B	1	7/11/1885 ?/6/1888	38180-43188	23	18

Dallmeyer Archive Volume 198028/5/5

Lens Group	Lens Title	PDF No.	Date Range	Lens Nos.	Volume Page Nos.	No. of Lenses.
Extra Quick Acting Portrait Settings	2C	1	6/12/1884 26/2/1887	36533-40836	51	24
	3C	1	6/12/1884 ?/12/1887	36553-44486	54	15
R.P.	1 R.P.	1	5/3/1887 5/3/1887	40926-40929	240	4
	2 R.P.	1	9/4/1887 9/4/1887	41205-41208	240	4
Rapid Landscape Settings	No.1 9 inch 6x5	1	15/12/1886 19/5/1888	40191-42770	247	30
		2	19/5/1888 23/11/1888	42771-43491	251	30
		3	No Dates entered	44633-44644	246	1
	No.2 12 inch 8½ x 6½	1	4/12/1886 20/4/1887	40203-41533	248	30
		2	20/9/1887 10/1888	41534-43974	239	60
		3	10/1888 10/1888	43975-43981	232	6
	No.3 15 inch 10x8	1	18/12/1886 3/4/1888	40245-42758	248	30
		2	3/4/1888 28/11/1888	42759-44428	233	42
	No.4. 18 inch 12x10	1	12/1886 31/3/1888	40355-42729	249	30
		2	31/3/1888 11/1888	42730-44263	238	18
	No.5 22 inch 15x12	1	18/12/1886 20/10/1888	40397-44167	249	17
	No.6 25 inch 18x16	1	11/12/1886 19/7/1888	40342-43496	250	3
No.7 30 inch 22x20	1	1/1886 7/1888	40575-44097	250	3	
Rapid Rectilinear (Rigid) Settings	4¼ x 3¼	1	5/1885 27/3/1886	37112-38884	127	30
		2	27/3/1886 19/5/1888	38885-42723	128	58
		3	5/1888 14/7/1888	42602-43515	220	36
5x4	1	6/9/1884 2/11/1884	36004-36520	129	60	
	2	6/12/1884 23/5/1885	36575-37384	130	60	
	3	22/8/1885 6/1/1886	37715-38500	131	61	
	4	5/12/1885 27/2/1886	38319-38841	132	60	
	5	8/5/1886 11/9/1886	39123-39672	133	60	
	6	11/9/1886 25/12/1886	39686-40454	134	60	
	7	25/12/1886 20/8/1887	40455-41186	135	61	
	8	8/1887 14/11/1887	41305-42162	136	61	
	9	12/11/1887 ??	42163-43119	137	30	
	10	5/1888 21/7/1888	43124-43405	222	60	
	11	21/7/1888 9/1888	43406-43985	225	60	
	12	9/1888 12/1888	43986-44005	226	44	
6x5	1	18/10/1884 31/1/1885	36274-36801	138	60	
	2	7/2/1885 11/5/1885	36833-37243	139	60	
	3	6/6/1885 18/7/1885	37319-37560	140	60	
	4	1/8/1885 3/10/1885	37567-38019	141	60	
	5	5/12/1885 6/2/1886	38331-38620	142	60	
	6	30/1/1886 29/5/1886	38651-39273	196	60	
	7	19/6/1886 25/9/1886	39304-39775	197	60	
	8	2/10/1886 12/11/1886	39796-40054	198	60	
	9	4/11/1886 22/1/1887	40254-40568	199	60	
	10	22/1/1887 12/10/1887	40594-41244	206	60	
	11	10/1887 2/12/1887	41399-41915	207	60	
	12	?/12/1887? 3/4/1888	42121-42576	208	60	
	13	4/1888 2/8/1888	42685-43538	221	54	

Dallmeyer Archive Volume 198028/5/5

Lens Group	Lens Title	PDF No.	Date Range	Lens Nos.	Volume Page No.	No. of Lenses.
Rapid Rectilinear (Rigid)	6x5 (cont.)	14	8/1888 ?12/1888?	43539-44516	227	56
Settings (continued)						
	8½ x 6½	1	10/10/1884 20/12/1884	36205-36604	144	60
		2	27/10/1884 7/2/1885	36613-36868	145	60
		3	28/2/1885 15/5/1885	36954-37258	146	60
		4	22/5/1885 5/9/1885	37259-37807	148	60
		5	12/9/1885 24/10/1885	37808-38086	149	60
		6	14/11/1885 26/12/1885	38186-38403	192	60
		7	9/1/1886 20/2/1886	38507-38777	193	60
		8	27/2/1886 29/5/1886	38868-39285	194	60
		9	220/6/1886 24/7/1886	39340-39465	200	60
		10	31/7/1886 11/9/1886	39508-39739	201	60
		11	6/11/1886 18/12/1886	39740-40354	202	60
		12	18/12/1886 5/3/1887	40361-40941	203	60
		13	19/3/1887 21/5/1887	41051-41325	204	60
		14	?/6/1887 ?/8/1887	41338-41637	205	60
		15	?/12/1887 20/12/1887	41638-41809	215	60
		16	?/12/1887 19/3/1888	42034-42364	216	60
		17	?/3/1888 16/6/1888	42499-42969	217	60
		18	?/5/1888 13/9/1888	42976-43467	218	60
		19	?/9/1888 3/9/1888	43468-43837	219	60
		20	?/9/1888 11/12/1888	43857-44203	228	60
		21	?/12/1888 ?/1888?	44204-44306	229	36
	10x8	1	11/10/1884 4/4/1885	36133-37019	151	60
		2	18/4/1885 20/6/1885	37026-37396	153	60
		3	11/7/1885 24/10/1885	37500-38098	154	60
		4	31/10/1885 30/1/1886	38150-38632	155	60
		5	10/2/1886 17/4/1886	38699-39102	156	60
		6	15/5/1886 9/10/1886	39186-39909	157	60
		7	20/10/1886 1/1/1887	39971-40412	158	60
		8	22/1/1887 23/7/1887	40618-41361	159	60
		9	7/1887 7/12/1887	41454-41737	212	60
		10	12/1887 24/12/1887	41834-42228	213	36
		11	12/1887 5/4/1888	42316-42801	214	61
		12	4/1888 25/9/1888	42802-42912	223	60
		13	10/1888 12/1888	43697-44484	224	60
		14	12/1888? 12/1888?	44517-44540	230	24
	12x10	1	13/9/1884 22/12/1884	36064-36567	161	60
		2	3/1/1885 3/10/1885	36625-37941	162	60
		3	17/10/1885 22/5/1886	38051-39213	163	60
		4	1/6/1886 16/10/1886	39316-39597	164	60
		5	20/11/1886 15/1/1887	40079-40665	165	60
		6	5/2/1887 31/12/1887	40716-41963	209	48
		7	12/1887 24/3/1888	42055-42564	210	60
		8	3/1888 12/1888?	42646-43757	211	61
		9	12/1888? 12/1888?	44319-44330	231	12
	13x11	1	30/5/1885 ?/1888	37321-42108	167	60
		2	?/1888 ?/1888	43908-43919	168	12
	15x12	1	15/11/1884 3/10/1885	36377-37977	169	60
		2	5/12/1885 19/3/1887	38264-41009	170	60
		3	19/3/1887 ?/1888	41015-43437	171	60
		4	11/1888? 12/1888?	43315-44570	172	21
	18x16	1	6/9/1884 5/2/1886	36001-40694	176	60
		2	5/2/1887 5/7/1892	40695-43314	177	46

Dallmeyer Archive Volume 198028/5/5

Lens Group	Lens Title	PDF No.	Date Range	Lens Nos.	Volume Page Nos.	No.of Lenses.
Rapid Rectilinear (Rigid) Settings (continued)	22x20	1	4/10/1884 3/7/1887	36109-41616	174	60
		2	2/7/1887 11/1887?	41617-44336	175	27
	25x21	1	22/11/1884 24/10/1885	36431-38104	179	30
		2	5/12/1885 12/1888	38300-44342	195	57
	30x24	1	12/1884 1/4/1886	36574-39060	179	2
	34x34	1	12/1884 9/1888	36537-43494	179	5
Rapid Rectilinear(Sliding) Settings	5x4	1	8/5/1886 ?/1888	39117-44348	137	12
	6x5	1	8/3/1884 ?/1888	36145-43521	143	36
	8½x 6½	1	22/11/1884 ?/1888	36467-43811	150	48
	10x8	1	11/1884 26/3/1888	36401-42881	160	54
	12x10	1	4/1885 ?/1888	37020-42887	166	30
	13x11	1	15/8/1885 ?/1887	37676-37678	168	3
			Three not engraved			
	15x12	1	15/8/1885 ?/1888	37633-43317	173	13
	18x16	1	15/5/1886 ?/1887	39141-42248	178	3
			Three not engraved			
Rectilinear Landscape Settings	No.1	1	?/1888 ?/1888	43838-43849	232	12
	No.2	1	?/1888 ?/1888	42702-43569	234	24
	No.3	1	?/1888 ?/1888	42703-44632	235	30
	No.4	1	?/1888 ?/1888	42704-43272	236	18
	No.5	1	?/1888 ?/1888	42705-42931	237	6
Rectilinear Patent	2 inch	1	No entries			103
Wide Angle Rectilinear Settings	No.1aa	1	6/2/1885 7/11/1885	36777-38137	117	60
		2	7/11/1885 10/1887	38138-41600	118	60
		3	12/1887 9/1888	41653-44029	119	50
		4	10/1888 12/1888	44098-44454	124	36
	No.1a	1	27/9/1884 29/8/1885	36090-37675	111	60
		2	29/8/1885 28/11/1885	37703-38251	112	60
		3	13/2/1886 15/5/1886	38663-39171	113	60
		4	22/10/1886 15/1/1887	39776-40490	114	60
		5	12/2/1887 8/1887	40782-41504	115	60
		6	?/12/1887 7/1/1888	41505-42352	116	60
		7	?/1888 ?/12/1888	43944-44442	120	60
	No.1	1	27/9/1884 9/5/1885	36078-37149	104	60
		2	25/7/1885 14/11/1885	37525-38227	105	60
		3	16/1/1886 30/10/1886	38465-39934	106	60
		4	20/11/1886 21/5/1887	40055-41232	107	60
		5	2/7/1887 ?/5/1888	41411-42671	108	48
		6	?/5/1888 ?/10/1888	42672-44166	109	60
		7	?/1888 ?/1888	44228-44668	110	60

Dallmeyer Archive Volume 198028/5/5

Lens Group	Lens Title	PDF No.	Date Range	Lens Nos.	Volume Page Nos.	No.of Lenses.
Wide Angle Rectilinear Settings (continued)	No.2	1	28/2/1885 12/3/1887	36845-40946	122	59
		2	12/3/1887 7/11/1891	40497-41857	123	31
	No.3	1	31/11/1885 30/6/1888	36747-43290	125	30
	No.4	1	21/2/1885 14/4/1887	36826-42945	126	8
	No.5	1	20/8/1885 5/5/1888	37727-43169	127	4
Special Lenses		1	3/10/1885 5/1887	38020-43733	251	8
Stereo Settings	5 inch, No.1 Wilson	1	13/9/1884 25/9/1888	36028-43612	68	60
		2	?/1888 ?/1888	44085-44096	69	12
	6 inch, No.2 Wilson	1	13/9/1884 14/11/1884	36052-36430	73	24
	8 inch, No.3 Wilson	1	10/2/1885 12/2/1887	37978-40823	76	12
	Patent Stereo	1	17/1/1885 ?/1887	36697-41869	96	60
	Rectilinear Stereo	1	7/1/1885 14/7/1888	36875-43889	100	31
Triple Achromatic Settings (Rigid)	No.1. 6x5	1	No entries		180	
	No.2. 8½ x 6½	1	21/3/1885 4/8/1886	36984-39495	181	12
	No.3. 10x8	1	17/5/1885 27/6/1885	37421-37444	182	12
	No.4. 12x10	1	8/5/1886 8/5/1886	39135-39286	183	7
	No.5. 15x12	1	No entries		184	
	No.6. 18x16	1	No entries		185	
	No.7. 22x20	1	15/9/1887 17/12/1887	42000-42433	186	2
	No.8. 25x21	1	No entries		187	
	36x36	1	No entries		188	
Triple Achromatic Settings (Sliding)	No.1. 6x5	1	19/9/1884 19/9/1884	36076-36077	180	2
	No.2. 8½ x 6½	1	No entries		181	
	No.3. 10x8	1	No entries		182	
	No.4. 12x10	1	No entries		183	
	No.5. 15x12	1	No entries		184	
	No.6. 18x16	1	No entries		185	
	No.7. 22x20	1	No entries		186	
	No.8. 25x21	1	No entries		187	
Wide Angle (Panoramic) Settings	No.1a.	1	17/5/1885 ?/1888	36727-44048	82	48
	No.1.	1	15/11/1884 5/6/1886	36407-39298	79	60
		2	11/12/1886 ?/1888	40027-42540	80	60
		3	?/1888 ?/1888	43170-43401	81	24

